



OSM/EE DECISION SHEET

Category	Standard:	Clause	Document no.
ITAV	EN 62368-1:2014 + A11:2017 EN IEC 62368-1:2020 + A11:2020 EN IEC 62368-1:2024 + A11:2024	6.5.1	OSM-EE 23/2 rev 1
Subject		Key words	Meeting
Flammability of internal wiring		Internal wire VW-1	Copenhagen 2023 Helsinki 2024
Question			
<p>Individual internal wire or groups of wires within the same PS2 or PS3 circuit is completely tubed with VW-1 rated tube.</p> <p>Does the wire or groups of wires within the tube still need to comply with requirements of clause 6.5.1?</p> <p>Example: Wire from fan to PCB or flat cable between different PCBs.</p>			
Decision			
<p>It is the opinion of OSM-EE that since the wire or group of wires is completely tubed with VW-1 rated tubing, it is not needed to apply additional requirements of clause 6.5.1 to the wire or group of wires within the tube.</p>			
Explanatory notes			
<p>In Helsinki 2024, OSM-EE decision 23/2 was modified based on the feedback from TC108 WG HBSDT during the 2023 fall meeting.</p> <ul style="list-style-type: none"> - "Wire" was changed to "wire or groups of wires" - the clause number was confirmed - an example was added 			